



Material Safety Data Sheet

MAXFORCE® ROACH KILLER BAIT GEL

MSDS Number: 102000001393
MSDS Version 1.2
Revision Date: 05/01/2008

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name MAXFORCE® ROACH KILLER BAIT GEL
MSDS Number 102000001393
PCP Registration No. 24240

Bayer CropScience Inc
#100 - 3131 - 114th Avenue SE
Calgary, AB T2Z 3X2
Canada

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)
For Product Information call: 1-888-283-6847

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Table with 3 columns: Hazardous Component Name, CAS-No., Average % by Weight. Rows include Hydramethylnon, Oleic acid, and Starch.

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Warning! Poison. Harmful if swallowed. Avoid contact with skin, eyes and clothing. Keep exposed gel away from open food and food contact surfaces.

Physical State gel
Odor odourless
Appearance brown
Routes of Exposure Ingestion, Skin contact, Eye contact
Immediate Effects
Eye May be minimally irritating following prolonged direct contact.
Skin May be minimally irritating following prolonged direct contact. Avoid contact with skin and clothing.



Material Safety Data Sheet

MAXFORCE® ROACH KILLER BAIT GEL

MSDS Number 102000001393
MSDS Version 1.2

Ingestion Harmful if swallowed. Do not take internally.

Chronic or Delayed Long-Term This product or its components may have target organ effects. This product or its components may have long term (chronic) health effects.

SECTION 4. FIRST AID MEASURES

General When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Skin Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

Notes to Physician Treatment There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash point no data available

Autoignition Temperature no data available

Lower Flammability Limit no data available

Upper Flammability Limit no data available

Explosiveness no data available

Fire and Explosion Hazards Dangerous gases are evolved in the event of a fire.



Material Safety Data Sheet
MAXFORCE® ROACH KILLER BAIT GEL

MSDS Number 10200001393
MSDS Version 1.2

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media High volume water jet

Fire Fighting Instructions Keep out of smoke. Fight fire from upwind position. Cool closed containers/tanks exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods for Cleaning Up The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional Advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

SECTION 7. HANDLING AND STORAGE

Handling Procedures No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Use only in area provided with appropriate exhaust ventilation.

Storing Procedures Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

Keep away from food, drink and animal feedingstuffs.

Work/Hygienic Procedures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove



Material Safety Data Sheet

MAXFORCE® ROACH KILLER BAIT GEL

MSDS Number 102000001393
MSDS Version 1.2

soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection

Follow all label instructions. Train employees in safe use of the product.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

Eye/Face Protection

Tightly fitting safety goggles

Hand Protection

Chemical resistant nitrile rubber gloves

Body Protection

Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory Protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Starch	9005-25-8	OEL (QUE)	TWA	10 mg/m3
		CAD AB OEL	TWA	10 mg/m3
		CAD BC OEL	TWA	10 mg/m3
		CAD BC OEL	TWA	3 mg/m3
		CAD ON OEL	TWA	10 mg/m3

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	brown
Physical State	gel
Odor	odourless
pH	6.5 - 7.5
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	approx. 1.10 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available



Material Safety Data Sheet
MAXFORCE® ROACH KILLER BAIT GEL

MSDS Number 10200001393
MSDS Version 1.2

Melting / Freezing Point no data available
Water solubility partly soluble
Minimum Ignition Energy no data available
Partition coefficient: n-octanol/water no data available

SECTION 10. STABILITY AND REACTIVITY

Conditions to Avoid Extremes of temperature and direct sunlight.
Incompatibility no data available
Hazardous Decomposition Products toxic gases/vapours
Hazardous Reactions No hazardous reactions when stored and handled according to prescribed instructions.
Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed on this product as formulated. The non-acute information pertains to the technical-grade active ingredient, hydramethylnon.

Acute Oral Toxicity rat: LD50: > 5,000 mg/kg
Acute Dermal Toxicity rabbit: LD50: > 2,000 mg/kg
Skin Irritation rabbit: No skin irritation.
Eye Irritation rabbit: No eye irritation.
Sensitization guinea pig: Non-sensitizing.
Chronic Toxicity Hydramethylnon caused testicular and/or lung effects in chronic studies in mice, rats and dogs.

Assessment Carcinogenicity

Hydramethylnon has been classified by U.S. EPA as a Group C-possible human carcinogen based on lung tumors observed in mice. Rats treated with hydramethylnon did not show a carcinogenic potential.

ACGIH
Starch 9005-25-8 Group A4
NTP



Material Safety Data Sheet

MAXFORCE® ROACH KILLER BAIT GEL

MSDS Number 102000001393
MSDS Version 1.2

None.
IARC
None.
OSHA
None.

Reproductive & Developmental Toxicity

REPRODUCTION: Hydramethylnon is a reproductive toxicant at doses producing systemic toxicity.

DEVELOPMENTAL TOXICITY: Hydramethylnon was not a primary developmental toxicant in rats and rabbits. Developmental effects were observed but were considered secondary to maternal toxicity.

Neurotoxicity

Hydramethylnon neurotoxicity studies are not required at this time.

Mutagenicity

Hydramethylnon was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions

Do not allow to get into surface water, drains and ground water. Apply this product as specified on the label.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. Never place unused product down any indoor or outdoor drain.

Container Disposal

Do not re-use empty containers. Place empty container in trash. Follow advice on product label and/or leaflet.

SECTION 14. TRANSPORT INFORMATION

TDG (Canada):

Not regulated for road or rail.

SECTION 15. REGULATORY INFORMATION

PCP Registration No. 24240



Material Safety Data Sheet

MAXFORCE® ROACH KILLER BAIT GEL

MSDS Number: 102000001393
MSDS Version 1.2

US Federal Regulations

TSCA list

Oleic acid 112-80-1
Starch 9005-25-8

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Hydramethylnon 67485-29-4 1.0%

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Hydramethylnon 67485-29-4 Developmental toxin.
Hydramethylnon 67485-29-4 Male reproductive toxin.

US State Right-To-Know Ingredients

Hydramethylnon	67485-29-4	NJ
Oleic acid	112-80-1	RI
Starch	9005-25-8	IL, MN, RI

Canadian Regulations

Canadian Domestic Substance List

Oleic acid 112-80-1
Starch 9005-25-8

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Reactivity - 1 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated Section 2: Composition / Information on Ingredients.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Bayer CropScience



Material Safety Data Sheet

MAXFORCE® ROACH KILLER BAIT GEL

MSDS Number 102000001393
MSDS Version 1.2

Revision Date: 05/01/2008

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.