Sample 1:

I have a number. Should you guess my number, I will say "You guessed my number." Otherwise, I will say "Lower" when your guess was too high, and I will say "Higher" when your guess was too low.

For example:

my number	your guess	
5	3	Higher
	6	Lower
	4	Higher
	5	You guessed my number.

On the following page, there is a flowchart for a program that will take as input the value of my number and the value of your guesses, and that will output my response to each guess.

For Example:

Input:	5	No output.	
Input:	3	Output:	Higher
Input:	6	Output:	Lower
Input:	4	Output:	Higher
Input:	5	Output:	You guessed my number.

On the page after the flowchart, please convert the program from the flowchart into JAVA.

Flowchart:



Program:

```
public class Sample1
{
   public static void main( String args [] )
   {
```

Sample 2:

The triangular numbers are as follows:

The series begins with 1 (the first triangular number). To calculate the nth triangular number, n is added to the previous triangular number. For example, the fourth triangular number is calculated by adding 4 to the third triangular number (which is 6), i.e. 10 = (1 + 2 + 3) + 4.

We need a program that takes a single integer n as input and outputs which triangular number it is or 0 if it is not a triangular number.

For example:

<u>n</u>	output	
15	5	// 15 is the 5 th triangular number
7	0	// 7 is not a triangular number
-1	0	// -1 is not a triangular number

On the following page, there is a flowchart for a program that will take as input a single integer n, and that will output which triangular number it is or 0 if it is not a trinangular number.

For Example:

Input:	15	Output:	5
Input:	7	Output:	0
Input:	-1	Output:	0

On the page after the flowchart, please convert the program from the flowchart into JAVA.

Flowchart:



Program:

```
public class Sample2
{
   public static void main( String args [] )
   {
```