

NPar Tests

One-Sample Kolmogorov-Smirnov Test

			V1
N			15
Normal Parameters ^{a,b}	Mean	34.33	
	Std. Deviation	4.923	
Most Extreme Differences	Absolute	.194	
	Positive	.194	
	Negative	-.127	
Test Statistic			.194
Asymp. Sig. (2-tailed) ^c			.135
Monte Carlo Sig. (2-tailed) ^d	Sig.	.136	
	99% Confidence Interval	Lower Bound	.127
		Upper Bound	.144

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

d. Lilliefors' method based on 10000 Monte Carlo samples with starting seed 299883525.

NPar Tests

One-Sample Kolmogorov-Smirnov Test

			V1
N			15
Normal Parameters ^{a,b}	Mean	34.33	
	Std. Deviation	4.923	
Most Extreme Differences	Absolute	.194	
	Positive	.194	
	Negative	-.127	
Test Statistic			.194
Asymp. Sig. (2-tailed) ^c			.135
Monte Carlo Sig. (2-tailed) ^d	Sig.	.130	
	99% Confidence Interval	Lower Bound	.121
		Upper Bound	.139

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

d. Lilliefors' method based on 10000 Monte Carlo samples with starting seed 926214481.